

ErgoMover 1500



**A GOOD WORKING ENVIRONMENT >> LESS DAMAGE TO MATERIALS >>
SATISFIED EMPLOYEES >> STRONG BACKS >> FASTER INSTALLATION...**

ERGOMOVER 1500 – A REVOLUTIONARY NEW WAY OF INSTALLING DRY WALL ELEMENTS AND TRANSPORTING ALL TYPES OF BUILDING MATERIALS. USING ERGOMOVER 1500 WITH MANIPULATOR YOU CAN QUICKLY AND DRAMATICALLY IMPROVE HEALTH AND SAFETY AT WORK WHEN INSTALLING DRY WALL ELEMENTS AND OTHER WALL ELEMENTS. UP TO 1.100 KG WALL ELEMENTS CAN EASILY BE MOVED FROM HORIZONTAL TO VERTICAL READY TO BE INSTALLED ON THE WALL WITHOUT STRAINING THE BACK. WITH ERGOMOVER 1500 OTHER BUILDING MATERIALS WEIGHING UP TO 1.500 KG CAN BE TRANSPORTED AROUND THE BUILDING SITE WHILE IMPROVING YOUR BOTTOM LINE, BECAUSE YOUR EMPLOYEES WILL BE HAPPIER AND MORE EFFICIENT.



OBVIOUS DIFFERENCE

ERGOMOVER 1500 IS AVAILABLE IN TWO VERSIONS:
ERGOMOVER 1500 & ERGOMOVER 1500 – MANIPULATOR.

BOTH MACHINES ARE CONSTRUCTED WITH A POWERFULL ALL –TERRAIN WHEEL DRIVE AND FOUR WHEEL STEERING, MAKING IT IDEAL ON ALL BUILDING SITES. ALL LIFTING AND TILTING FUNCTIONS ARE DONE BY A POWERFUL ELECTRICAL-HYDRAULIC SYSTEM WITH BUILD-IN SAFETY FUNCTIONS.

ERGOMOVER 1500
AVAILABLE AS A TRANSPORT TROLLEY WITHOUT ANY HYDRAULIC FUNCTIONS FOR APPLICATIONS THAT ONLY REQUIRES TRANSPORT OF MATERIALS. AS ADDITIONAL FUNCTIONS, ERGOMOVER 1500 CAN BE EQUIPPED WITH HYDRAULIC LIFTING SYSTEM, MAKING IT POSSIBLE TO SET OF LOADS OF E.G. DRY WALL ELEMENTS ON TRESTLES.

ERGOMOVER 1500 – MANIPULATOR
MADE ESPECIALLY FOR INSTALLATION OF DRY WALL ELEMENTS AND IS AS STANDARD EQUIPPED WITH BOTH HYDRAULIC LIFTING FUNCTION AND HYDRAULIC TILTING FUNCTION. WITH ERGOMOVER 1500 – MANIPULATOR YOU CAN HANDLE DRY WALL ELEMENTS FROM THE LORRY ALL THE WAY TO THE WALL, WITHOUT STRAINING THE BACK.

SPECIFICATIONS

ERGOMOVER 1500	
CAPACITY	1.500 KG
MAX. SPEED	6 KM/H
SPEED REGULATION	INFINITELY
TIRES	FOAM FILLED (OPTIONAL)
WHEEL DRIVE	24 V
BATTERIES	2 X 95 A
CHARGER	INTEGRATED 230/110 V
LIFT & TILT FUNCTION	ELECTRICAL-HYDRAULIC
EXTERNAL LENGTH	1.700 MM (EXCL. HANDLE)
EXTERNAL LENGTH	2.610 MM (INCL. HANDLE)
EXTERNAL WIDTH	690 MM
HEIGHT	575 - 725 MM
WEIGHT	250 KG

ERGOMOVER 1500 - MANIPULATOR	
CAPACITY	1.100 KG
MAX. SPEED	6 KM/H
SPEED REGULATION	INFINITELY
TIRES	FOAM FILLED (OPTIONAL)
WHEEL DRIVE	24 V
BATTERIES	2 X 95 A
CHARGER	INTEGRATED 230/110 V
LIFT & TILT FUNCTION	ELECTRICAL-HYDRAULIC
EXTERNAL LENGTH	1.700 MM (EXCL. HANDLE)
EXTERNAL LENGTH	2.530 - 2.730 (INCL. HANDLE)
EXTERNAL WIDTH	690 MM
HEIGHT	575 - 725 MM
WEIGHT	425 KG

ErgoMounter

Dry Wall

OBVIOUS DIFFERENCE

ERGOMOUNTER IS A UNIQUE HAND TRUCK FOR ERGONOMIC AND EFFECTIVE INSTALLATION OF DRY WALL ELEMENTS.

ERGOMOUNTER IS DEVELOPED TO BE USED IN COMBINATION WITH ERGOMOVER 1500 MANIPULATOR.

TOGETHER, THESE TOOLS MAKES IT POSSIBLE FOR ONE SINGLE OPERATOR TO HANDLE AND INSTALL DRY WALL ELEMENTS ALL THE WAY FROM THE LORRY TO THE WALL – WITHOUT ANY STRAIN TO THE BACK.

IT HAS NEVER BEEN MORE ERGONOMIC AND EFFECTIVE TO INSTALL DRY WALL ELEMENTS.

HIGHLIGHTS

- ERGONOMIC
- EFFECTIVE
- EASY TO USE
- 100 % MECHANICAL TOOL
- PNEUMATIC TIRES FOR EASY TRANSPORT
- LOW WEIGHT
- FLEXIBLE – CAN BE USED FOR MANY SIZES OF ELEMENTS

Dealer:

GMV A/S (SOUTH)
INDUSTRIPARKEN 1
DK - 7182 BREDSTEN

GMV A/S (NORTH)
MOESKJAERVEJ 2
DK - 7620 LEMVIG

TEL +45 7573 8247
CVR DK 21801283
WWW.GMVAS.DK
WWW.WINLET.DK

 **GMV**
Cranes and Handling